SAFETY DATA SHEET



FA-1855V

Revision Date: 03/05/2019 Date of issue: 01/29/2015

SECTION 1: IDENTIFICATION

Product Identifier Product Form: Substance Product Name: FA-1855V CAS-No.: 67701-03-5 Intended Use of the Product Use Of The Substance/Mixture: For professional use only.

Name, Address, and Telephone of the Responsible Party

Company Peter Cremer North America, LP 3117 Southside Ave. Cincinnati, OH 45204 1-513-471-7200 1-877-901-7262 (Toll free) Emergency Telephone Number

Emergency Number: CHEMTREC: 1-800-424-9300 US and Canada; 1-703-527-3887 for calls originating elsewhere

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture			
GHS-US/CA Classification			
Aquatic Acute 2	H401		
Aquatic Chronic 3	H412		
Comb. Dust			
Full text of hazard classes and H-statements : see section 16			
Label Elements			
GHS-US/CA Labeling			
Signal Word (GHS-US/CA)	: Warning		
Hazard Statements (GHS-US/CA)	: May form combustible dust concentrations in air.		
	H401 - Toxic to aquatic life.		
	H412 - Harmful to aquatic life with long lasting effects.		
Precautionary Statements (GHS-	: P273 - Avoid release to the environment.		
US/CA)	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.		
Supplemental Information	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Proper grounding procedures to avoid static electricity should be followed. Prevent dust accumulation (to minimize explosion hazard). Avoid generating dust.		
Other Hazards			

Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Substances</u>

 Name
 :
 FA-1855V

 CAS-No.
 :
 67701-03-5

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
Fatty acids, C16-18		(CAS-No.) 67701-03-5	100	Aquatic Acute 2, H401
				Aquatic Chronic 3, H412
				Comb. Dust

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once. Encourage exposed person to cough, spit out, and blow nose to remove dust. Immediately call a poison center, physician, or emergency medical service.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Dust may be harmful or cause irritation.

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Combustible Dust.

Explosion Hazard: Dust explosion hazard in air.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO₂).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses. Risk of dust explosion.

Reference to Other Sections: Refer to Section 9 for flammability properties..



SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing dust. Avoid generating dust. Remove ignition sources. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill. Use explosion proof vacuum during cleanup, with appropriate filter. Do not mix with other materials. Vacuum clean-up is preferred. If sweeping is required use a dust suppressant. Use only non-sparking tools.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Accumulation and dispersion of dust with an ignition source can cause a combustible dust explosion. Keep dust levels to a minimum and follow applicable regulations.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Avoid creating or spreading dust. Use explosion-proof electrical,

ventilating, lighting equipment. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls

Appropriate Engineering Controls: Suitable eye/body wash equipment should be available in the vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Use local exhaust or general dilution ventilation or other suppression methods to maintain dust levels below exposure limits. Power equipment should be equipped with proper dust collection devices. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties **Physical State** Solid Appearance Water white to yellow solid @ 72°F (22°C) Odor Mustv. fattv **Odor Threshold** Not available Not available pН **Evaporation Rate** Not available **Melting Point** : Not available **Freezing Point** Not available • **Boiling Point** > 500 °F @ 760 mm Hg (260 °C) **Flash Point** ≈ 408 °F (PMCC) (208.89 °C) : > °C **Auto-ignition Temperature** : **Decomposition Temperature** Not available : Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available < 0.75 mm Hg @ 72°F (22°C) **Vapor Pressure** Relative Vapor Density at 20°C ٠ Not available **Relative Density** : ≈ 0.84 @25C **Specific Gravity** : Not available Solubility Water: Negligible @ 72°F (22°C) **Partition Coefficient: N-Octanol/Water** Not available : Viscosity Not available

SECTION 10: STABILITY AND REACTIVITY



SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials. Sparks, heat, open flame and other sources of ignition. Dust accumulation (to minimize explosion hazard).

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products: Does not decompose.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not classified Acute Toxicity (Dermal): Not classified Acute Toxicity (Inhalation): Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Dust may be harmful or cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Fatty acids, C16-18 (67701-03-5)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rabbit	> 2000 mg/kg	
LC50 Inhalation Rat	> 0.16 mg/l/4h	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Fatty acids, C16-18 (67701-03-5)		
LC50 Fish 1	> 10000 mg/l	
EC50 Daphnia 1	> 4.8 mg/l	
NOEC Chronic Algae	> 0.9 mg/l	
Persistence and Degradabili	ty	

FA-1855V (67701-03-5)	
Persistence and Degradability	May cause long-term adverse effects in the environment.



SECTION 12: ECOLOGICAL INFORMATION

Bioaccumulative Potential

FA-1855V (67701-03-5)

Bioaccumulative Potential

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Not established.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In Accordance with DOT Not regulated for transport

In Accordance with DOT Not regulated for transport

In Accordance with IMDG Not regulated for transport

In Accordance with IATA Not regulated for transport

In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

FA-1855V (67701-03-5)		
SARA Section 311/312 Hazard Classes	Physical hazard - Combustible dust	
Fatty acids, C16-18 (67701-03-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

<u>US State Regulations</u> Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed

Canadian Regulations

Fatty acids, C16-18 (67701-03-5)	
Listed on the Canadian DSL (Domestic Substances List)	

SECTI	ON 16: OTHER INFORMATION,	INCLUDING DATE OF PREPARATION OR LAST REVISION
Date o	f Preparation or Latest Revision	: 03/05/2019
Other	Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.
GHS Full Text Phrases:		
	Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
	Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
	Comb. Dust	Combustible Dust
[H401	Toxic to aquatic life



SECT	ION 16: OTHER INFO	DRMATION, II	NCLUDING DATE OF PREPARATION OR LAST REVISION	
	H412		Harmful to aquatic life with long lasting effects	
NFPA	A Health Hazard	offer	laterials that, under emergency conditions, would on hazard beyond that of ordinary combustible erials.	
NFPA	A Fire Hazard		laterials that must be moderately heated or exposed latively high ambient temperatures before ignition can r.	
NFPA	A Reactivity Hazard		laterial that in themselves are normally stable, even \checkmark er fire conditions.	

IMPORTANT: The information on specifications provided herein, while believed to be accurate and reliable, is given without guarantee or warranty of any kind expressed or implied. Any implied warranties of merchantability and fitness for purposes are expressly disclaimed. Purchaser assumes all risk in acting on this information or any information provided by Peter Cremer N.A. representatives. Individual requirements may vary, and each purchaser is urged to perform its own tests, experiments and investigations in the use of Peter Cremer N.A. products for purposes of determining efficacy for the intended use and for purposes of determining compliance with applicable Federal, State and local laws and regulations. Nothing contained herein shall be construed as a recommendation to use any product in connection with existing patents covering any material or its use. Moreover, no license is to be implied under any patents relating to uses of the above described chemicals other than those uses specifically referenced herein.

Peter Cremer NA GHS SDS 2015

